



Flame Retardant fabric for FR-clothing

DEVON-260

55% MODACRYLIC / 44% COTTON / 1% AS
260 GSM / TWILL 2/1



Fabric name	Devon-260
Fabric weight	260 ± 10 gsm
Composition	55% Modacrylic, 44% Cotton, 1% AS
Full width	152 ± 2 cm
Weave	Twill 2/1
Finishes	-
Application	FR-clothing
Washing instruction	

FR & SPECIAL PROPERTIES

Flame retardant	ISO 11612 (A1, A2, B1, C1, E3, F1)	50×60°C ISO 6330
	ISO 11611 (Class 1)	50x60°C ISO 6330
Electric arc	EN 61482-2 (APC1)	50x60°C ISO 6330
Antistaic	ISO 1149-5	50x60°C ISO 6330

PHYSICAL PROPERTIES

		warp	weft
Tensile strength, N	ISO 13934-1:1999	780	630
Tearing strength, N	ISO 13937-2:2000	17	16
Dimensional Stability To Washing, max	ISO 5077-ISO 15797	<3%	
Abrasion Resistance	ISO 12947-2:1999	N/A	
Pilling Resistance	ISO 12945-2:2001	N/A	

COLOUR FASTNESS

			Light	Mid	Dark	Special colors
			Yellow, Red	Green, Grey, Royal Box	Dark Navy, Navy, Royal Blue	Orange
Wash Fastness Method E2S (95°C)	ISO 105-C06	Colour Change	n/a	n/a	n/a	4-5
		Stain on Polyester	n/a	n/a	n/a	4-5
Rub Fastness	ISO 105-X12:1995	Wet	n/a	n/a	n/a	4
		Dry	n/a	n/a	n/a	5
Light Fastness	ISO 105-B02		n/a	n/a	n/a	n/a

* Tested in a non-accredited laboratory. * N/A - not applicable.

www.xmtextiles.com

XM TEXTILES EUROPE

Darius ir Gireno st. 42A, Room 509
Vilnius, LT-02189, Lithuania
Tel. +370 52 078 703
info@xmtextiles.com

XM TEXTILES ROMANIA

Sos. Tamasi 20, Hala 6B, Parter,
Buftea, 070000, Ilfov, Romania
Tel. +40 31 630 3639
info@xmtextiles.com

XM TEXTILES ITALIA SRL

Viale della Mercanzia 195, Blocco 1A, Centergross
40050 Funo di Argelato (BO), Bologna, Italy
Tel. +39 051 952 8202
info@xmtextiles.com